

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S140	191	709/201,227,228,230.ccls. and (@ad<"20010515" @rlad<"20010515") and (@pd>"20061219")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:08
S124	226	709/201,227,228,230.ccls. and (@ad<"20010515" @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:08
S118	50	((point-to-point) (point adj to adj point)) same (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:08
S35	305	((point-to-point) (point adj to adj point)) same shared with medium	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:08
S139	1	(transceiver with infrared) with wireless with (dual multiple two) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:10
S135	14	(PPP) same (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:10
S133	19	(remote remotely) with config\$8 near3 (device peripheral printer) with (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:10
S59	19	((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$ same network same device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:10
S142	43	((point-to-point) (point adj to adj point)) same shared with medium and (@pd>"20061219")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:11
S141	37	((point-to-point) (point adj to adj point)) same (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20061219")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:11

EAST Search History

S10 6	2	(transceiver with infrared) with wireless with (dual multiple two) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:11
S10 2	9	wireless same config\$8 with (medium path channel) with different and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:11
S15 5	0	(remote remotely) with config\$8 near3 (device peripheral printer) with (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	DERWENT	OR	ON	2007/06/11 11:12
S15 4	0	(transceiver with infrared) with wireless with (dual multiple two) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	DERWENT	OR	ON	2007/06/11 11:12
S15 3	0	(PPP) same (medium path channel) same config\$ and (@ad<"20010515" @rlad<"20010515") and (@pd>"20061219")	DERWENT	OR	ON	2007/06/11 11:12
S15 2	0	((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$ same network same device and (@ad<"20010515" @rlad<"20010515") and (@pd>"20061219")	DERWENT	OR	ON	2007/06/11 11:12
S15 1	0	((point-to-point) (point adj to adj point)) same shared with medium and (@ad<"20010515" @rlad<"20010515") and (@pd>"20061219")	DERWENT	OR	ON	2007/06/11 11:12
S15 0	0	((point-to-point) (point adj to adj point)) same shared with medium and (@pd>"20061219")	DERWENT	OR	ON	2007/06/11 11:12
S14 9	0	((point-to-point) (point adj to adj point)) same (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20061219")	DERWENT	OR	ON	2007/06/11 11:12

EAST Search History

S14 8	18	wireless same config\$8 with (medium path channel) with different and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:12
S14 7	23	(remote remotely) with config\$8 near3 (device peripheral printer) with (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:12
S14 6	1	(transceiver with infrared) with wireless with (dual multiple two) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:12
S14 5	16	(PPP) same (medium path channel) same config\$ and (@ad<"20010515" @rlad<"20010515") and (@pd>"20061219")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:12
S14 4	0	((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$ same network same device and (@ad<"20010515" @rlad<"20010515") and (@pd>"20061219")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:12
S14 3	3	((point-to-point) (point adj to adj point)) same shared with medium and (@ad<"20010515" @rlad<"20010515") and (@pd>"20061219")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/06/11 11:12
S15 6	1	wireless same config\$8 with (medium path channel) with different and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	DERWENT	OR	ON	2007/06/11 11:13